


org.apache.jmeter.swing

Class HtmlPane



All Implemented Interfaces:

[Accessible](#), [ImageObserver](#), [MenuContainer](#), [Scrollable](#), [Serializable](#)

public class **HtmlPane**

extends [JTextPane](#)

Implements an HTML Pane with local hyperlinking enabled.

See Also:

[Serialized Form](#)

Nested Class Summary

Nested classes inherited from class javax.swing.[JEditorPane](#)

[JEditorPane.AccessibleJEditorPane](#), [JEditorPane.AccessibleJEditorPaneHTML](#), [JEditorPane.JEditorPaneAccessibleHypertextSupport](#)

Nested classes inherited from class javax.swing.text.[JTextComponent](#)

[JTextComponent.AccessibleJTextComponent](#), [JTextComponent.KeyBinding](#)

Nested classes inherited from class javax.swing.[JComponent](#)

[JComponent.AccessibleJComponent](#)

Nested classes inherited from class java.awt.[Container](#)

[Container.AccessibleAWTContainer](#)

Nested classes inherited from class java.awt.[Component](#)

[Component.AccessibleAWTComponent](#), [Component.BltBufferStrategy](#), [Component.FlipBufferStrategy](#)

Field Summary

Fields inherited from class [javax.swing.text.JTextComponent](#)

[DEFAULT_KEYMAP](#), [FOCUS_ACCELERATOR_KEY](#)

Fields inherited from class [javax.swing.JComponent](#)

[accessibleContext](#), [listenerList](#), [TOOL_TIP_TEXT_KEY](#), [ui](#), [UNDEFINED_CONDITION](#), [WHEN_ANCESTOR_OF_FOCUSED_COMPONENT](#), [WHEN_FOCUSED](#), [WHEN_IN_FOCUSED_WINDOW](#)

Fields inherited from class [java.awt.Component](#)

[BOTTOM_ALIGNMENT](#), [CENTER_ALIGNMENT](#), [LEFT_ALIGNMENT](#), [RIGHT_ALIGNMENT](#), [TOP_ALIGNMENT](#)

Fields inherited from interface [java.awt.image.ImageObserver](#)

[ABORT](#), [ALLBITS](#), [ERROR](#), [FRAMEBITS](#), [HEIGHT](#), [PROPERTIES](#), [SOMEBITS](#), [WIDTH](#)

Constructor Summary

[HtmlPane](#)()

Method Summary

void [scrollToReference](#)([String](#) reference)

Methods inherited from class [javax.swing.JTextPane](#)

[addStyle](#), [createDefaultEditorKit](#), [getCharacterAttributes](#), [getInputAttributes](#), [getLogicalStyle](#), [getParagraphAttributes](#), [getStyle](#), [getStyledDocument](#), [getStyledEditorKit](#), [getUIClassID](#), [insertComponent](#), [insertIcon](#), [paramString](#), [removeStyle](#), [replaceSelection](#), [setCharacterAttributes](#), [setDocument](#), [setEditorKit](#), [setLogicalStyle](#), [setParagraphAttributes](#), [setStyledDocument](#)

Methods inherited from class [javax.swing.JEditorPane](#)

[addHyperlinkListener](#), [createEditorKitForContentType](#), [fireHyperlinkUpdate](#), [getAccessibleContext](#), [getContentType](#), [getEditorKit](#), [getEditorKitClassNameForContentType](#), [getEditorKitForContentType](#), [getHyperlinkListeners](#), [getPage](#), [getPreferredSize](#), [getScrollableTracksViewportHeight](#), [getScrollableTracksViewportWidth](#), [getStream](#), [getText](#), [read](#), [registerEditorKitForContentType](#), [registerEditorKitForContentType](#), [removeHyperlinkListener](#), [setContentType](#), [setEditorKitForContentType](#), [setPage](#), [setPage](#), [setText](#)

Methods inherited from class [javax.swing.text.JTextComponent](#)

[addCaretListener](#), [addInputMethodListener](#), [addKeymap](#), [copy](#), [cut](#), [fireCaretUpdate](#), [getActions](#), [getCaret](#), [getCaretColor](#), [getCaretListeners](#), [getCaretPosition](#), [getDisabledTextColor](#), [getDocument](#), [getDragEnabled](#), [getFocusAccelerator](#), [getHighlighter](#), [getInputMethodRequests](#), [getKeymap](#), [getKeymap](#), [getMargin](#), [getNavigationFilter](#), [getPreferredSize](#), [getScrollableBlockIncrement](#), [getScrollableUnitIncrement](#), [getSelectedText](#), [getSelectedTextColor](#), [getSelectionColor](#), [getSelectionEnd](#), [getSelectionStart](#), [getText](#), [getToolTipText](#), [getUI](#), [isEditable](#), [loadKeymap](#), [modelToView](#), [moveCaretPosition](#), [paste](#), [processInputMethodEvent](#), [read](#), [removeCaretListener](#), [removeKeymap](#), [removeNotify](#), [select](#), [selectAll](#), [setCaret](#), [setCaretColor](#),

[setCaretPosition](#), [setComponentOrientation](#), [setDisabledTextColor](#), [setDragEnabled](#), [setEditable](#), [setFocusAccelerator](#), [setHighlighter](#), [setKeymap](#), [setMargin](#), [setNavigationFilter](#), [setSelectedTextColor](#), [setSelectionColor](#), [setSelectionEnd](#), [setSelectionStart](#), [setUI](#), [updateUI](#), [viewToModel](#), [write](#)

Methods inherited from class [javax.swing.JComponent](#)

[addAncestorListener](#), [addNotify](#), [addPropertyChangeListener](#), [addPropertyChangeListener](#), [addVetoableChangeListener](#), [computeVisibleRect](#), [contains](#), [createToolTip](#), [disable](#), [enable](#), [firePropertyChange](#), [firePropertyChange](#), [firePropertyChange](#), [firePropertyChange](#), [firePropertyChange](#), [firePropertyChange](#), [firePropertyChange](#), [firePropertyChange](#), [fireVetoableChange](#), [getActionForKeyStroke](#), [getActionMap](#), [getAlignmentX](#), [getAlignmentY](#), [getAncestorListeners](#), [getAutoscrolls](#), [getBorder](#), [getBounds](#), [getClientProperty](#), [getComponentGraphics](#), [getConditionForKeyStroke](#), [getDebugGraphicsOptions](#), [getDefaultLocale](#), [getGraphics](#), [getHeight](#), [getInputMap](#), [getInputMap](#), [getInputVerifier](#), [getInsets](#), [getInsets](#), [getListeners](#), [getLocation](#), [getMaximumSize](#), [getMinimumSize](#), [getNextFocusableComponent](#), [getPropertyChangeListener](#), [getRegisteredKeyStrokes](#), [getRootPane](#), [getSize](#), [getToolTipLocation](#), [getToolTipText](#), [getTopLevelAncestor](#), [getTransferHandler](#), [getVerifyInputWhenFocusTarget](#), [getVetoableChangeListeners](#), [getVisibleRect](#), [getWidth](#), [getX](#), [getY](#), [grabFocus](#), [isDoubleBuffered](#), [isLightweightComponent](#), [isManagingFocus](#), [isMaximumSizeSet](#), [isMinimumSizeSet](#), [isOpaque](#), [isOptimizedDrawingEnabled](#), [isPaintingTile](#), [isPreferredSizeSet](#), [isRequestFocusEnabled](#), [isValidateRoot](#), [paint](#), [paintBorder](#), [paintChildren](#), [paintComponent](#), [paintImmediately](#), [paintImmediately](#), [print](#), [printAll](#), [printBorder](#), [printChildren](#), [printComponent](#), [processComponentKeyEvent](#), [processKeyBinding](#), [processKeyEvent](#), [processMouseEvent](#), [putClientProperty](#), [registerKeyboardAction](#), [registerKeyboardAction](#), [removeAncestorListener](#), [removePropertyChangeListener](#), [removePropertyChangeListener](#), [removeVetoableChangeListener](#), [repaint](#), [repaint](#), [requestDefaultFocus](#), [requestFocus](#), [requestFocus](#), [requestFocusInWindow](#), [requestFocusInWindow](#), [resetKeyboardActions](#), [reshape](#), [revalidate](#), [scrollRectToVisible](#), [setActionMap](#), [setAlignmentX](#), [setAlignmentY](#), [setAutoscrolls](#), [setBackground](#), [setBorder](#), [setDebugGraphicsOptions](#), [setDefaultLocale](#), [setDoubleBuffered](#), [setEnabled](#), [setFont](#), [setForeground](#), [setInputMap](#), [setInputVerifier](#), [setMaximumSize](#), [setMinimumSize](#), [setNextFocusableComponent](#), [setOpaque](#), [setPreferredSize](#), [setRequestFocusEnabled](#), [setToolTipText](#), [setTransferHandler](#), [setUI](#), [setVerifyInputWhenFocusTarget](#), [setVisible](#), [unregisterKeyboardAction](#), [update](#)

Methods inherited from class [java.awt.Container](#)

[add](#), [add](#), [add](#), [add](#), [add](#), [addContainerListener](#), [addImpl](#), [applyComponentOrientation](#), [areFocusTraversalKeysSet](#), [countComponents](#), [deliverEvent](#), [doLayout](#), [findComponentAt](#), [findComponentAt](#), [getComponent](#), [getComponentAt](#), [getComponentAt](#), [getComponentCount](#), [getComponents](#), [getContainerListeners](#), [getFocusTraversalKeys](#), [getFocusTraversalPolicy](#), [getLayout](#), [insets](#), [invalidate](#), [isAncestorOf](#), [isFocusCycleRoot](#), [isFocusCycleRoot](#), [isFocusTraversalPolicySet](#), [layout](#), [list](#), [list](#), [locate](#), [minimumSize](#), [paintComponents](#), [preferredSize](#), [printComponents](#), [processContainerEvent](#), [processEvent](#), [remove](#), [remove](#), [removeAll](#), [removeContainerListener](#), [setFocusCycleRoot](#), [setFocusTraversalKeys](#), [setFocusTraversalPolicy](#), [setLayout](#), [transferFocusBackward](#), [transferFocusDownCycle](#), [validate](#), [validateTree](#)

Methods inherited from class [java.awt.Component](#)

[action](#), [add](#), [addComponentListener](#), [addFocusListener](#), [addHierarchyBoundsListener](#), [addHierarchyListener](#), [addKeyListener](#), [addMouseListener](#), [addMouseMotionListener](#), [addMouseWheelListener](#), [bounds](#), [checkImage](#), [checkImage](#), [coalesceEvents](#), [contains](#), [createImage](#), [createImage](#), [createVolatileImage](#), [createVolatileImage](#), [disableEvents](#), [dispatchEvent](#), [enable](#), [enableEvents](#), [enableInputMethods](#), [getBackground](#), [getBounds](#), [getColorModel](#), [getComponentListeners](#), [getComponentOrientation](#), [getCursor](#), [getDropTarget](#), [getFocusCycleRootAncestor](#), [getFocusListeners](#), [getFocusTraversalKeysEnabled](#), [getFont](#), [getFontMetrics](#), [getForeground](#), [getGraphicsConfiguration](#), [getHierarchyBoundsListeners](#), [getHierarchyListeners](#),

[getIgnoreRepaint](#), [getInputContext](#), [getInputMethodListeners](#), [getKeyListeners](#), [getLocale](#), [getLocation](#), [getLocationOnScreen](#), [getMouseListeners](#), [getMouseMotionListeners](#), [getMouseWheelListeners](#), [getName](#), [getParent](#), [getPeer](#), [getSize](#), [getToolkit](#), [getTreeLock](#), [gotFocus](#), [handleEvent](#), [hasFocus](#), [hide](#), [imageUpdate](#), [inside](#), [isBackgroundSet](#), [isCursorSet](#), [isDisplayable](#), [isEnabled](#), [isFocusable](#), [isFocusOwner](#), [isFocusTraversable](#), [isFontSet](#), [isForegroundSet](#), [isLightweight](#), [isShowing](#), [isValid](#), [isVisible](#), [keyDown](#), [keyUp](#), [list](#), [list](#), [list](#), [location](#), [lostFocus](#), [mouseDown](#), [mouseDrag](#), [mouseenter](#), [mouseExit](#), [mouseMove](#), [mouseUp](#), [move](#), [nextFocus](#), [paintAll](#), [postEvent](#), [prepareImage](#), [prepareImage](#), [processComponentEvent](#), [processFocusEvent](#), [processHierarchyBoundsEvent](#), [processHierarchyEvent](#), [processMouseEvent](#), [processMouseWheelEvent](#), [remove](#), [removeComponentListener](#), [removeFocusListener](#), [removeHierarchyBoundsListener](#), [removeHierarchyListener](#), [removeInputMethodListener](#), [removeKeyListener](#), [removeMouseListener](#), [removeMouseMotionListener](#), [removeMouseWheelListener](#), [repaint](#), [repaint](#), [repaint](#), [resize](#), [resize](#), [setBounds](#), [setBounds](#), [setCursor](#), [setDropTarget](#), [setFocusable](#), [setFocusTraversalKeysEnabled](#), [setIgnoreRepaint](#), [setLocale](#), [setLocation](#), [setLocation](#), [setName](#), [setSize](#), [setSize](#), [show](#), [show](#), [size](#), [toString](#), [transferFocus](#), [transferFocusUpCycle](#)

Methods inherited from class java.lang.Object

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [wait](#), [wait](#), [wait](#)

Constructor Detail

HtmlPane

```
public HtmlPane()
```

Method Detail

scrollToReference

```
public void scrollToReference(String reference)
```

[Overview](#) [Package](#) [Class](#) [Tree](#) [Deprecated](#) [Index](#) [Help](#)

Apache JMeter

[PREV CLASS](#) [NEXT CLASS](#)

SUMMARY: [NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#)

[FRAMES](#) [NO FRAMES](#) [All Classes](#)

DETAIL: [FIELD](#) | [CONSTR](#) | [METHOD](#)

Copyright © 1998-2009 Apache Software Foundation. All Rights Reserved.